

Stany magazynowe GT-GLASS_rury szklane, borokrzemowe -bezbarwne_25-01-2021r.
GTb_R-b

lp	Kod towaru	nazwa towaru	jm	stan		
1	RSBL GT-G [3.3]__5x0,8x1500	Rura szklana borokrzemowa GT-GLASS_5x0,8x1500 (20 kg)	kg	80		
2	RSBL GT-G [3.3]__6x1,5x1500 (25 kg)	Rura szklana borokrzemowa GT-GLASS_6x1,5x1500 (25 kg)	kg	50		
3	RSBL GT-G [3.3]__7x1,0x1500	Rura szklana borokrzemowa GT-GLASS_7x1,0x1500 (20 kg)	kg	20		
4	RSBL GT-G [3.3]__7x1,5x1500	Rura szklana borokrzemowa GT-GLASS_7x1,5x1500 (20 kg)	kg	1 060,478		
5	RSBL GT-G [3.3]__8x1,0x1500	Rura szklana borokrzemowa GT-GLASS_8x1,0x1500 (20kg)	kg	937		
6	RSBL GT-G [3.3]__8x1,5x1500	Rura szklana borokrzemowa GT-GLASS_8x1,5x1500 (25 kg)	kg	160		
7	RSBL GT-G [3.3]__8x1,5x1500 (20,00)	Rura szklana borokrzemowa GT-GLASS_8x1,5x1500 (20 kg)	kg	900		
8	RSBL GT-G [3.3]__9x1,5x1500	Rura szklana borokrzemowa GT-GLASS_9x1,5x1500 (20 kg)	kg	520		
9	RSBL GT-G [3.3]__9x1,5x1500 (21)	Rura szklana borokrzemowa GT-GLASS_9x1,5x1500 (21 kg)	kg	21		
10	RSBL GT-G [3.3]__10x1,0x1500	Rura szklana borokrzemowa GT-GLASS__10x1,0x1500 (20 kg)	kg	260		
11	RSBL GT-G [3.3]__10x1,5x1500	Rura szklana borokrzemowa GT-GLASS__10x1,5x1500 (25 kg)	kg	325		
12	RSBL GT-G [3.3]__10x1,5x1500 (21kg)	Rura szklana borokrzemowa GT-GLASS__10x1,5x1500 (21 kg)	kg	20		
13	RSBL GT-G [3.3]__10x1,5x1500 (23kg)	Rura szklana borokrzemowa GT-GLASS__10x1,5x1500 (23 kg)	kg	46		
14	RSBL GT-G [3.3]__11x1,5x1500	Rura szklana borokrzemowa GT-GLASS__11x1,5x1500 (21,55 kg)	kg	560,3		
15	RSBL GT-G [3.3]__11x1,5x1500 (21,60kg)	Rura szklana borokrzemowa GT-GLASS__11x1,5x1500 (21,60 kg)	kg	43,2		
16	RSBL GT-G [3.3]__11x1,5x1500 (22kg)	Rura szklana borokrzemowa GT-GLASS__11x1,5x1500 (22 kg)	kg	22		
17	RSBL GT-G [3.3]__12x1,0x1500	Rura szklana borokrzemowa GT-GLASS__12x1,0x1500 (25,10 kg)	kg	25,1		
18	RSBL GT-G [3.3]__12x1,0x1550	Rura szklana borokrzemowa GT-GLASS__12x1,0x1550 (28 kg)	kg	252		
19	RSBL GT-G [3.3]__12x1,5x1500	Rura szklana borokrzemowa GT-GLASS_12x1,5x1500 (20 kg)	kg	140		
20	RSBL GT-G [3.3]__13x1,5x1500	Rura szklana borokrzemowa GT-GLASS__13x1,5x1500 (20 kg)	kg	137,25		
21	RSBL GT-G [3.3]__14x1,5x1500	Rura szklana borokrzemowa GT-GLASS__14x1,5x1500 (20 kg)	kg	140		
22	RSBL GT-G [3.3]__14x1,5x1500 (19,70)	Rura szklana borokrzemowa GT-GLASS__14x1,5x1500 (19,70 kg)	kg	78,8		
23	RSBL GT-G [3.3]__15x1,5x1500	Rura szklana borokrzemowa GT-GLASS__15x1,5x1500 (23,40 kg)	kg	187,2		
24	RSBL GT-G [3.3]__16x1,0x1500	Rura szklana borokrzemowa GT-GLASS__16x1,0x1550 (21,50 kg)	kg	193,5		
25	RSBL GT-G [3.3]__16x1,0x1550	Rura szklana borokrzemowa GT-GLASS__16x1,0x1550 (20 kg)	kg	160		
26	RSBL GT-G [3.3]__16x1,8x1500	Rura szklana borokrzemowa GT-GLASS__16x1,8x1500 (21,76 kg)	kg	238,96		

lp	Kod towaru	nazwa towaru	jm	stan		
27	RSBL GT-G [3.3]__16x2,5x1500	Rura szklana borokrzemowa GT-GLASS__16x2,5x1500 (22,7 kg)	kg	103,5		
28	RSBL GT-G [3.3]__17x1,5x1500	Rura szklana borokrzemowa GT-GLASS__17x1,5x1500 (18,4 kg)	kg	36,8		
29	RSBL GT-G [3.3]__18x1,8x1500	Rura szklana borokrzemowa GT-GLASS__18x1,8x1500 (19,60 kg)	kg	960,4		
30	RSBL GT-G [3.3]__18x2,5x1500	Rura szklana borokrzemowa GT-GLASS__18x2,5x1500 (19,90 kg)	kg	875,6		
31	RSBL GT-G [3.3]__19x1,2x1500 (16,10kg)	Rura szklana borokrzemowa GT-GLASS__19x1,2x1500 (16,10 kg)	kg	949,9		
32	RSBL GT-G [3.3]__19x1,2x1500 (20,2kg)	Rura szklana borokrzemowa GT-GLASS__19x1,2x1500 (20,2 kg)	kg	60,6		
33	RSBL GT-G [3.3]__19x1,8x1500 (20,8)	Rura szklana borokrzemowa GT-GLASS__19x1,8x1500 (20,80 kg)	kg	998,42		
34	RSBL GT-G [3.3]__19x1,8x1500 (23,40)	Rura szklana borokrzemowa GT-GLASS__19x1,8x1500 (23,40 kg)	kg	187,2		
35	RSBL GT-G [3.3]__20x1,8x1500	Rura szklana borokrzemowa GT-GLASS__20x1,8x1500 (19,30 kg)	kg	123,84		
36	RSBL GT-G [3.3]__20x1,8x1500 (22kg)	Rura szklana borokrzemowa GT-GLASS__20x1,8x1500 (22 kg)	kg	990		
37	RSBL GT-G [3.3]__20x2,5x1500	Rura szklana borokrzemowa GT-GLASS__20x2,5x1500 (22,52 kg)	kg	534,48		
38	RSBL GT-G [3.3]__20x2,5x1500 (22,50kg)	Rura szklana borokrzemowa GT-GLASS__20x2,5x1500 (22,50 kg)	kg	675		
39	RSBL GT-G [3.3]__22x1,8x1500 (18,70 kg)	Rura szklana borokrzemowa GT-GLASS__22x1,8x1500 (18,70 kg)	kg	412,3		
40	RSBL GT-G [3.3]__22x2,5x1500	Rura szklana borokrzemowa GT-GLASS__22x2,5x1500 (25,1 kg)	kg	251		
41	RSBL GT-G [3.3]__22x2,5x1500 (18,10kg)	Rura szklana borokrzemowa GT-GLASS__22x2,5x1500 (18,10 kg)	kg	977,4		
42	RSBL GT-G [3.3]__24x1,8x1500	Rura szklana borokrzemowa GT-GLASS__24x1,8x1500 (20,6 kg)	kg	23		
43	RSBL GT-G [3.3]__24x1,8x1500 (20,56)	Rura szklana borokrzemowa GT-GLASS__24x1,8x1500 (20,50 kg)	kg	881,44		
44	RSBL GT-G [3.3]__24x2,5x1500	Rura szklana borokrzemowa GT-GLASS__24x2,5x1500 (20,32 kg)	kg	80,15		
45	RSBL GT-G [3.3]__24x2,5x1500 (27,70kg)	Rura szklana borokrzemowa GT-GLASS__24x2,5x1500 (27,70 kg)	kg	619,4		
46	RSBL GT-G [3.3]__26x2,0x1500	Rura szklana borokrzemowa GT-GLASS__26x2,0x1500 (18,14 kg)	kg	704,7		
47	RSBL GT-G [3.3]__26x2,0x1500 (18,10kg)	Rura szklana borokrzemowa GT-GLASS__26x2,0x1500 (18,10 kg)	kg	271,5		
48	RSBL GT-G [3.3]__26x2,0x1500 (20,20kg)	Rura szklana borokrzemowa GT-GLASS__26x2,0x1500 (20,20 kg)	kg	60,6		
49	RSBL GT-G [3.3]__26x2,8x1500	Rura szklana borokrzemowa GT-GLASS__26x2,8x1500 (24,60 kg)	kg	959,4		

lp	Kod towaru	nazwa towaru	jm	stan		
50	RSBL GT-G [3.3]__28x1,4x1500	Rura szklana borokrzemowa GT-GLASS__28x1,4x1500 (19,20 kg)	kg	1 247,38		
51	RSBL GT-G [3.3]__28x2,0x1500 (19,70kg)	Rura szklana borokrzemowa GT-GLASS__28x2,0x1500 (19,70 kg)	kg	917,9		
52	RSBL GT-G [3.3]__28x2,5x1500	Rura szklana borokrzemowa GT-GLASS__28x2,5x1500 (24,11 kg)	kg	650,97		
53	RSBL GT-G [3.3]__28x2,8x1500	Rura szklana borokrzemowa GT-GLASS__28x2,8x1500 (26,70 kg)	kg	587,4		
54	RSBL GT-G [3.3]__28x4,0x1500	Rura szklana borokrzemowa GT-GLASS__28x4,0x1500 (25,20 kg)	kg	75,6		
55	RSBL GT-G [3.3]__29x1,8x1500	Rura szklana borokrzemowa GT-GLASS__29x1,8x1500 (20,6 kg)	kg	20,6		
56	RSBL GT-G [3.3]__30x1,4x1500	Rura szklana borokrzemowa GT-GLASS__30x1,4x1500 (20,61 kg)	kg	247,32		
57	RSBL GT-G [3.3]__30x2,0x1500 (21,2kg)	Rura szklana borokrzemowa GT-GLASS__30x2,0x1500 (21,2 kg)	kg	296,8		
58	RSBL GT-G [3.3]__30x2,5x1500 (18,10kg)	Rura szklana borokrzemowa GT-GLASS__30x2,5x1500 (18,10 kg)	kg	482,6		
59	RSBL GT-G [3.3]__30x2,8x1500 (28,80)	Rura szklana borokrzemowa GT-GLASS__30x2,8x1500 (28,80 kg)	kg	720		
60	RSBL GT-G [3.3]__32x2,0x1500	Rura szklana borokrzemowa GT-GLASS__32x2,0x1500 (22,70 kg)	kg	751,6		
61	RSBL GT-G [3.3]__32x2,0x1500 (22,699)	Rura szklana borokrzemowa GT-GLASS__32x2,0x1500 (22,699 kg)	kg	0,805		
62	RSBL GT-G [3.3]__32x2,5x1500	Rura szklana borokrzemowa GT-GLASS__32x2,5x1500 (27,90 kg)	kg	725,4		
63	RSBL GT-G [3.3]__32x2,8x1500	Rura szklana borokrzemowa GT-GLASS__32x2,8x1500 (21,5 kg)	kg	838,5		
64	RSBL GT-G [3.3]__34x1,4x1500	Rura szklana borokrzemowa GT-GLASS__34x1,4x1500 (12 kg)	kg	24		
65	RSBL GT-G [3.3]__34x2,0x1500 (16,80)	Rura szklana borokrzemowa GT-GLASS__34x2,0x1500 (16,80kg)	kg	807,02		
66	RSBL GT-G [3.3]__34x2,0x1500 (20,20)	Rura szklana borokrzemowa GT-GLASS__34x2,0x1500 (20,20 kg)	kg	20,92		
67	RSBL GT-G [3.3]__34x2,5x1500	Rura szklana borokrzemowa GT-GLASS__34x2,5x1500 (20,70 kg)	kg	1 014,3		
68	RSBL GT-G [3.3]__34x2,8x1500	Rura szklana borokrzemowa GT-GLASS__34x2,8x1500 (22,90 kg)	kg	709,88		
69	RSBL GT-G [3.3]__36x1,4x1500	Rura szklana borokrzemowa GT-GLASS__36x1,4x1500 (18,30 kg)	kg	245,055		
70	RSBL GT-G [3.3]__36x2,0x1500	Rura szklana borokrzemowa GT-GLASS__36x2,0x1500 (17,865 kg)	kg	336,495		
71	RSBL GT-G [3.3]__36x2,0x1500 (17,9)	Rura szklana borokrzemowa GT-GLASS__36x2,0x1500 (17,9 kg)	kg	626,5		
72	RSBL GT-G [3.3]__36x2,0x1500 (19,6kg)	Rura szklana borokrzemowa GT-GLASS__36x2,0x1500 (19,6 kg)	kg	19,6		

lp	Kod towaru	nazwa towaru	jm	stan		
73	RSBL GT-G [3.3]__36x2,5x1500	Rura szklana borokrzemowa GT-GLASS__36x2,5x1500 (22 kg)	kg	1 738		
74	RSBL GT-G [3.3]__36x2,8x1500 (24,4kg)	Rura szklana borokrzemowa GT-GLASS__36x2,8x1500 (24,4 kg)	kg	1 561,6		
75	RSBL GT-G [3.3]__38x1,4x1500	Rura szklana borokrzemowa GT-GLASS__38x1,4x1500 (19,39 kg)	kg	193,24		
76	RSBL GT-G [3.3]__38x1,4x1500 (13,50)	Rura szklana borokrzemowa GT-GLASS__38x1,4x1500 (13,50 kg)	kg	3		
77	RSBL GT-G [3.3]__38x2,0x1500	Rura szklana borokrzemowa GT-GLASS__38x2,0x1500 (18,9 kg)	kg	321,3		
78	RSBL GT-G [3.3]__38x2,0x1500 (18,915kg)	Rura szklana borokrzemowa GT-GLASS__38x2,0x1500 (18,915 kg)	kg	109,075		
79	RSBL GT-G [3.3]__38x2,8x1500	Rura szklana borokrzemowa GT-GLASS__38x2,8x1500 (25,90 kg)	kg	1 010,1		
80	RSBL GT-G [3.3]__38x3,0x1500	Rura szklana borokrzemowa GT-GLASS__38x3,0x1500 (17,6 kg)	kg	968		
81	RSBL GT-G [3.3]__38x3,5x1500	Rura szklana borokrzemowa GT-GLASS__38x3,5x1500 (20,3 kg)	kg	345,18		
82	RSBL GT-G [3.3]__38x4,0x1500	Rura szklana borokrzemowa GT-GLASS__38x4,0x1500 (22,90 kg)	kg	274,8		
83	RSBL GT-G [3.3]__40x1,6x1500	Rura szklana borokrzemowa GT-GLASS__40x1,6x1500 (23,24 kg)	kg	441,64		
84	RSBL GT-G [3.3]__40x2,3x1500	Rura szklana borokrzemowa GT-GLASS__40x2,3x1500 (22,8 kg)	kg	1 550,4		
85	RSBL GT-G [3.3]__40x2,5x1500	Rura szklana borokrzemowa GT-GLASS__40x2,5x1500 (24,60 kg)	kg	2 017,2		
86	RSBL GT-G [3.3]__40x2,8x1500	Rura szklana borokrzemowa GT-GLASS__40x2,8x1500 (17,50 kg)	kg	1 872,5		
87	RSBL GT-G [3.3]__40x3,2x1500	Rura szklana borokrzemowa GT-GLASS__40x3,2x1500 (19,8 kg)	kg	37,79		
88	RSBL GT-G [3.3]__42x1,6x1500	Rura szklana borokrzemowa GT-GLASS__42x1,6x1500 (17 kg)	kg	116		
89	RSBL GT-G [3.3]__42x1,6x1550	Rura szklana borokrzemowa GT-GLASS__42x1,6x1550 (17,50 kg)	kg	175		
90	RSBL GT-G [3.3]__42x2,3x1500	Rura szklana borokrzemowa GT-GLASS__42x2,3x1500 (24,00 kg)	kg	537,29		
91	RSBL GT-G [3.3]__42x2,8x1500	Rura szklana borokrzemowa GT-GLASS__42x2,8x1500 (18,40 kg)	kg	1 961		
92	RSBL GT-G [3.3]__42x3,0x1500	Rura szklana borokrzemowa GT-GLASS__42x3,0x1500 (19,672 kg)	kg	373,768		
93	RSBL GT-G [3.3]__42x3,2x1500 (20,9)	Rura szklana borokrzemowa GT-GLASS__42x3,2x1500 (20,90 kg)	kg	1 337,6		
94	RSBL GT-G [3.3]__44x1,6x1500	Rura szklana borokrzemowa GT-GLASS__44x1,6x1500 (17,80 kg)	kg	124,6		
95	RSBL GT-G [3.3]__44x3,2x1500	Rura szklana borokrzemowa GT-GLASS__44x3,2x1500 (21,952 kg)	kg	194,62		
96	RSBL GT-G [3.3]__44x3,2x1500 (21,90)	Rura szklana borokrzemowa GT-GLASS__44x3,2x1500 (21,90 kg)	kg	1 029,3		

lp	Kod towaru	nazwa towaru	jm	stan		
97	RSBL GT-G [3.3]__45x2,5x1500	Rura szklana borokrzemowa GT-GLASS__45x2,5x1500 (17,90 kg)	kg	179		
98	RSBL GT-G [3.3]__46x2,5x1500	Rura szklana borokrzemowa GT-GLASS__46x2,5x1500 (16,8 kg)	kg	116,6		
99	RSBL GT-G [3.3]__46x4,0x1500	Rura szklana borokrzemowa GT-GLASS__46x4,0x1500 (15,90 kg)	kg	747,3		
100	RSBL GT-G [3.3]__50x1,8x1500	Rura szklana borokrzemowa GT-GLASS__50x1,8x1500 (22,80 kg)	kg	362,043		
101	RSBL GT-G [3.3]__50x2,5x1510	Rura szklana borokrzemowa GT-GLASS__50x2,5x1510 (20,1 kg) _krawÇGÇ polerowana	kg	884,4		
102	RSBL GT-G [3.3]__50x4,0x1500	Rura szklana borokrzemowa GT-GLASS__50x4,0x1500 (17,40 kg)	kg	206,252		
103	RSBL GT-G [3.3]__50x5,0x1500	Rura szklana borokrzemowa GT-GLASS__50x5,0x1500 (21,27 kg)	kg	297,85		
104	RSBL GT-G [3.3]__50x5,0x1500 (21,30)	Rura szklana borokrzemowa GT-GLASS__50x5,0x1500 (21,30 kg)	kg	63,9		
105	RSBL GT-G [3.3]__52x1,8x2100	Rura szklana borokrzemowa GT-GLASS__52x1,8x2100 (13,6 kg)	kg	3,6		
106	RSBL GT-G [3.3]__54x2,5x1500	Rura szklana borokrzemowa GT-GLASS__54x2,5x1500 (21,60kg)	kg	993,6		
107	RSBL GT-G [3.3]__55x1,8x1500	Rura szklana borokrzemowa GT-GLASS__55x1,8x1500 (16,1 kg)	kg	352,327		
108	RSBL GT-G [3.3]__55x2,5x1500	Rura szklana borokrzemowa GT-GLASS__55x2,5x1500 (22,10 kg)	kg	110,5		
109	RSBL GT-G [3.3]__60x2,2x1500	Rura szklana borokrzemowa GT-GLASS__60x2,2x1500 (21,38 kg)	kg	70,6367		
110	RSBL GT-G [3.3]__60x5,0x1200	Rura szklana borokrzemowa GT-GLASS__60x5,0x1200 (13,86 kg)	kg	27,72		
111	RSBL GT-G [3.3]__60x5,0x1500	Rura szklana borokrzemowa GT-GLASS__60x5,0x1500 (13,86 kg)	kg	10,96		
112	RSBL GT-G [3.3]__60x5,0x1500 (26)	Rura szklana borokrzemowa GT-GLASS__60x5,0x1500 (26 kg)	kg	1 144,36		
113	RSBL GT-G [3.3]__65x2,2x1500	Rura szklana borokrzemowa GT-GLASS__65x2,2x1500 (23,23 kg)	kg	230,9		
114	RSBL GT-G [3.3]__65x3,2x1500	Rura szklana borokrzemowa GT-GLASS__65x3,2x1500 (18,704 kg)	kg	93,52		
115	RSBL GT-G [3.3]__70x2,2x1500	Rura szklana borokrzemowa GT-GLASS__70x2,2x1500 (14,11 kg)	kg	144,523		
116	RSBL GT-G [3.3]__70x5,0x1500	Rura szklana borokrzemowa GT-GLASS__70x5,0x1500 (30,74 kg)	kg	1 255,38		
117	RSBL GT-G [3.3]__75x2,2x1500	Rura szklana borokrzemowa GT-GLASS__75x2,2x1500 (15,15 kg)	kg	90,9		
118	RSBL GT-G [3.3]__75x2,2x1500 (15,2kg)	Rura szklana borokrzemowa GT-GLASS__75x2,2x1500 (15,2 kg)	kg	73,8		
119	RSBL GT-G [3.3]__80x2,5x1500	Rura szklana borokrzemowa GT-GLASS__80x2,5x1500 (18,30 kg)	kg	538,6		

lp	Kod towaru	nazwa towaru	jm	stan		
120	RSBL GT-G [3.3]__80x5,0x1500	Rura szklana borokrzemowa GT-GLASS__80x5,0x1500 (15,80 kg)	kg	15,8		
121	RSBL GT-G [3.3]__80x5,0x1500 (23,644kg)	Rura szklana borokrzemowa GT-GLASS__80x5,0x1500 (23,60kg)	kg	566,048		
122	RSBL GT-G [3.3]__85x2,5x1500	Rura szklana borokrzemowa GT-GLASS__85x2,5x1500 (19,51 kg)	kg	507,26		
123	RSBL GT-G [3.3]__90x2,5x1500	Rura szklana borokrzemowa GT-GLASS__90x2,5x1500 (20,70 kg)	kg	476,1		
124	RSBL GT-G [3.3]__90x5,0x1500	Rura szklana borokrzemowa GT-GLASS__90x5,0x1500 (17,865 kg)	kg	375,165		
125	RSBL GT-G [3.3]__95x2,5x1500	Rura szklana borokrzemowa GT-GLASS__95x2,5x1500 (9,70 kg)	kg	552,9		
126	RSBL GT-G [3.3]__100x2,5x1010	Rura szklana borokrzemowa GT-GLASS__100x2,5x1010 (10,35 kg) _krawCGI polerowana	kg	424,682		
127	RSBL GT-G [3.3]__100x2,5x1500	Rura szklana borokrzemowa GT-GLASS__100x2,5x1500 (10,25 kg)	kg	545,9187		
128	RSBL GT-G [3.3]__100x3,0x1500	Rura szklana borokrzemowa GT-GLASS__100x3,0x1500 (12,20 kg)	kg	546,062		
129	RSBL GT-G [3.3]__100x5,0x1500	Rura szklana borokrzemowa GT-GLASS__100x5,0x1500 (20 kg)	kg	200		
130	RSBL GT-G [3.3]__110x3,0x1500	Rura szklana borokrzemowa GT-GLASS__110x3,0x1500 (13,50 kg)	kg	567		
131	RSBL GT-G [3.3]__110x5,0x1500	Rura szklana borokrzemowa GT-GLASS__110x5,0x1500 (22,10 kg)	kg	685,1		
132	RSBL GT-G [3.3]__115x5,0x1500	Rura szklana borokrzemowa GT-GLASS__115x5,0x1500 (23,10 kg)	kg	69,3		
133	RSBL GT-G [3.3]__120x3,0x1500	Rura szklana borokrzemowa GT-GLASS__120x3,0x1500 (14,70 kg)	kg	1 205,4		
134	RSBL GT-G [3.3]__120x5,0x1500	Rura szklana borokrzemowa GT-GLASS__120x5,0x1500 (24,20 kg)	kg	72,6		
135	RSBL GT-G [3.3]__130x3,0x1500	Rura szklana borokrzemowa GT-GLASS__130x3,0x1500 (16,02 kg)	kg	255,795		
136	RSBL GT-G [3.3]__150x3,0x1500	Rura szklana borokrzemowa GT-GLASS__150x3,0x1500 (4,634 kg)	kg	50,965		
137	RSBL GT-G [3.3]__150x3,0x1500 (9,30kg)	Rura szklana borokrzemowa GT-GLASS__150x3,0x1500 (9,30 kg)	kg	297,6		
138	RSBL GT-G [3.3]__150x5,0x1500	Rura szklana borokrzemowa GT-GLASS__150x5,0x1500 (15,24 kg)	kg	68,5		
139	RSBL GT-G [3.3]__150x5,0x1500 (15,20)	Rura szklana borokrzemowa GT-GLASS__150x5,0x1500 (15,20 kg)	kg	76		
140	RSBL GT-G [3.3]__160x5,0x1500	Rura szklana borokrzemowa GT-GLASS__160x5,0x1500 (8,14 kg)	kg	8,14		
141	RSBL GT-G [3.3]__160x5,0x1500 (16,30kg)	Rura szklana borokrzemowa GT-GLASS__160x5,0x1500 (16,30 kg)	kg	798,7		
142	RSBL GT-G [3.3]__160x5,0x1850	Rura szklana borokrzemowa GT-GLASS__160x5,0x1850 (10,04 kg)	kg	30,09		

lp	Kod towaru	nazwa towaru	jm	stan		
143	RSBL GT-G [3.3]_165x7,0x1500	Rura szklana borokrzemowa GT-GLASS_165x7,0x1500 (23,20 kg)	kg	46,4		
144	RSBL GT-G [3.3]_170x3,5x1500	Rura szklana borokrzemowa GT-GLASS_170x3,5x1500 (12,24 kg)	kg	36,73		
145	RSBL GT-G [3.3]_190x4,0x1500	Rura szklana borokrzemowa GT-GLASS_190x4,0x1500 (7,82 kg)	kg	476,362		
146	RSBL GT-G [3.3]_230x5,0x1500	Rura szklana borokrzemowa GT-GLASS_230x5,0x1500 (11,80 kg)	kg	82,6		
147	RSBL GT-G [3.3]_300x6,0x1500	Rura szklana borokrzemowa GT-GLASS_300x6,0x1500 (18,53 kg)	kg	889,89		
PODSUMOWANIE				65 899,8454		